

Kodak

i2600 and i2800 Scanners



Know what it feels like to get ahead



Energize your information for a competitive edge.

Today's business runs on information. But when that information is on paper, it can slow you down. Get things flowing faster with **Kodak i2600** and **i2800** Scanners. They let you extract critical information from documents at the point of entry, for quick distribution to decision-makers who need it. So money to be gained isn't left waiting for choices to be made.

No matter what size your business or department is, the reliable performance of **Kodak i2600** and **i2800** Scanners can enable collaboration right from your desktop. They decrease processing time for information that needs to be shared for review, reference, approval, and legal and compliance reasons. This helps increase both internal and external customer satisfaction, and saves your company time and money. Plus, if your business has branch offices or field agents, distributed capture allows document images to be immediately sent to a central location for easy access.

Help your company get ahead with a scanning solution that can bring you increased security, faster internal processes, better teamwork, and a host of other business benefits. The **Kodak i2600** and **i2800** Scanners.

For those who demand more.

More imaging power — Dual LED illumination means faster first scans, plus great image clarity, consistency, and color stability.

More performance — With speeds up to 70 pages per minute, you get plenty of production in a small package.

More flexibility — No matter what document you're scanning, paper handling from Kodak gets the job done. Small or large, thick or thin, ID cards, even embossed hard cards — the versatile, self-storing output tray easily adjusts.

More options — A4 and A3 Flatbed Accessories, with USB connectivity, make it simple to scan oversized, bound, or fragile materials.

More automation — Kodak's Smart Touch functionality performs multiple-step scanning operations at the press of a button.

More reassurance — Three-year limited warranty keeps you free from worry.

Kodak i2600 / i2800 Scanners

Technical specifications

Recommended Daily Volume	i2600: Up to 4,000 pages per day / i2800: Up to 6,000 pages per day
Throughput Speeds (portrait, letter size)	i2600: Black-and-white/grayscale: up to 50 ppm/100 ipm at 200 dpi and 300 dpi; Color: up to 50 ppm/100 ipm at 200 dpi; up to 40 ppm/80 ipm at 300 dpi i2800: Black-and-white/grayscale: up to 70 ppm/140 ipm at 200 dpi and 300 dpi; Color: up to 60 ppm/120 ipm at 200 dpi; up to 40 ppm/80 ipm at 300 dpi (Throughput speeds may vary depending on your choice of driver, application software, operating system, and PC.)
Scanning Technology	Dual CCD; Grayscale output bit depth is 256 levels (8-bit); color capture bit depth is 48 bits (16 x 3); color output bit depth is 24 bits (8 x 3)
Operator Control Panel	Graphical LCD display
Optical Resolution	600 dpi
Illumination	Dual indirect LED
Output Resolution	100 / 150 / 200 / 240 / 250 / 300 / 400 / 600 / 1200 dpi
Max. / Min. Document Size	216 mm x 863 mm (8.5 x 34 in.) / 50 mm x 63.5 mm (2 in. x 2.5 in.) Long document mode: 216 mm x 4,064 mm (8.5 in. x 160 in.)
Paper Thickness and Weight	34-413 g/m ² (9-110 lb.) paper; ID card thickness: up to 1.25 mm (0.05 in.)
Feeder	i2600: Up to 75 sheets of 75 g/m ² (20 lb.) paper / i2800: Up to 100 sheets of 75 g/m ² (20 lb.) paper Handles small documents such as ID cards, embossed hard cards, and insurance cards
Multi-feed Detection	With ultrasonic technology
Connectivity	USB 2.0 (cable included)
Bundled Software	TWAIN, ISIS, WIA Drivers: Kodak Capture Desktop Software, Smart Touch; Nuance ScanSoft PaperPort and OmniPage, (or PaperPort Deluxe 9 Asian for China, Hong Kong, Japan, Korea and Taiwan). Linux SANE and TWAIN Drivers available from www.kodak.com/go/scanonlinux
Imaging Features (in the scanner)	Perfect Page Scanning; iThresholding; adaptive threshold processing; deskew; autocrop; relative cropping; fixed crop; add/remove border; electronic color dropout; dual stream scanning; enhanced color management; enhanced color adjustment; brightness and contrast adjustment; automatic orientation; automatic color detection; background color smoothing; intelligent image edge fill; image merge; content-based blank page detection; streak filtering; round/rectangular hole fill; sharpness filter; auto brightness; auto white balance; all-color dropout; multi-color dropout; long document scanning (up to 4,064 mm/160 in.)
File Format Outputs	Single and multi-page TIFF, JPEG, RTF, BMP, PDF, searchable PDF
Limited Warranty	Three years Return to Base Australia and New Zealand only
Accessories	White Imaging Background Accessory (front); Kodak A4 Flatbed (White Background) Accessory , with 1.8-meter (6 ft.) cable; Optional A4 Flatbed Black Imaging Background Accessory ; Kodak A3 Flatbed (White Background) Accessory , with 1.8-meter (6 ft.) cable
Electrical Requirements	100-240 V (International); 50-60 Hz
Power Consumption	Scanner: off mode: <0.35 watts; sleep mode: <4 watts; running mode: <32 watts
Environmental Factors	Energy Star qualified scanners Operating temperature: 10-35° C (50-95° F) Operating humidity: 15% to 76% RH
Acoustical Noise (operator position sound pressure level)	Operating mode (300 dpi color scanning): <53 dB(A)
Recommended PC Configuration	For documents up to 660 mm (26 in.) long at 400 dpi: Intel Core2 , 2.1 GHz Duo Processor or equivalent, 2 GB RAM For longer documents/higher resolutions: Intel Core2 , 2.1 GHz Duo Processor or equivalent, 4 GB RAM Note: For optimal performance when using a PC running the Windows 7 operating system, at least 3 GB RAM is recommended
Supported Operating Systems	Windows XP SP2 and SP3 (32-bit), Windows XP x64 Edition SP2, Windows Vista SP1 (32-bit and 64-bit), Windows 7 SP1 (32-bit and 64-bit), Windows Server 2008 x64 Editions, Linux Ubuntu 10.04.1
Approvals and Product Certifications	AS/NZS 3548 Class B (C-Tick Mark), CAN/CSA-C22.2 No. 60950-1-07 (C-UL Mark), Canada ICES-003 Issue 4 (Class B), GB4943, GB9254 (Class B), GB 17625.1 Harmonics (CCC "S&E" Mark), EN 55022 ITE Emissions (Class B), EN 61000-3-3 Flicker, EN 55024 ITE Immunity (CE Mark), EN 60950-1 2 nd ed. (TUV GS Mark), IEC 60950-1 2 nd ed., CISPR 22 (Class B), VCCI (Class B), CNS 13438 (Class B), CNS 14336 (BSMI Mark), UL 60950-1-07 (UL Mark), CFR 47 Part 15 Subpart B (FCC Class B), Argentina S-Mark
Consumables Available	Feed module, separation module, feed rollers, roller cleaning pads, Staticide wipes
Dimensions	Weight: 5.5 kg (12 lbs.) Depth: 162 mm (6.3 in.), not including input tray and output tray Width: 330 mm (13 in.) Height: 246 mm (9.7 in.), not including input tray

Kodak enables customers to capture and use valuable information from electronic and paper documents. Our document imaging solutions include award-winning scanners and capture software, and industry-leading service and support. From small offices to global operations, Kodak has the right solution to feed your business the information it needs.

To learn more:

www.kodak.com/go/i2000

www.kodak.com/go/pro

Printed using **Kodak** Technologies.

Contact Kodak at:

Australia	1800-895-747	Philippines	1800-1651-0685
Beijing	+86-10-6561-6561	Shanghai	+86-21-5884-1818
Guangzhou	+86-20-8666-9888	Shenzhen	+86-755-8835-2068
Hong Kong	+852-2564-9333	Singapore	1800-856-3251
India	+91-22-6641-6380	South Korea	+82-2-3438-2600
Indonesia	001-803-657-008	Taiwan	+886-2-8751-8558
Japan	+81-3-5577-1300	Thailand	001-800-658-055
Malaysia	1800-806-480	Vietnam	120-65-131
New Zealand	0800-256-325		

© Kodak, 2011. Kodak is a trademark of Kodak. Specifications are subject to change without notice.

Printed in USA A-5828 CAT No. 837 5057

